	2.0.0 − 1940	2.0.0 − 1940
Runtime (in hr)	3.03	NA
Avg. Drain Rate	725.12	NANA
Peak Disk (GB)	84.49	NA
Peak Memory (GB)	13.25	NA
Avg. OPS	7.62K	NANA
Avg. mem memcached (GB)	12.38	NA
Avg. mem beam.smp (MB)	749.79	NA
Avg. CPU rate (%)	90.87	NA
Latency−get (90th) (ms)	3.8	NA
Latency−get (95th) (ms)	7.67	NA
Latency−get (99th) (ms)	41.15	NA
Latency−set (90th) (ms)	3.63	NA
Latency−set (95th) (ms)	6.52	NA
Latency−set (99th) (ms)	22.56	NA
Latency−query (80th) (ms)	241.91	NA
Latency−query (90th) (ms)	611.06	NA
Latency−query (95th) (ms)	3561.28	NA
Latency−query (99th) (ms)	10506.38	NA
Latency−query (99.9th) (ms)	16017.02	NA
Avg. QPS	102.83	NA
Avg. XDC ops/sec	NaN	NA
Avg. XDC docs to replicate	555.68	NA
Rebalance Time (sec)	0	NA
Testrunner Version	fbc38b5	NA


ops/sec
11.72K
9.77K
7.81K
5.86K
3.91K
1.95K
0
ops/sec
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of ops per second
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


View read per sec.
1.95K
1.46K
1000.00
500.00
Queries/sec
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
All the view reads for all design documents including scatter gather.
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep queue size
195.31K
146.48K
97.66K
48.83K
ep_queue_size
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of items queued for storage
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


ns_server: ep_diskqueue_drain
ep_diskqueue_drain
5.86K
3.91K
1.95K
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Total number of items per second being written to disk in this bucket (from ns_server)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


ep−engine : ep_diskqueue_drain − nirvana.server.1
ep_diskqueue_drain
250.00
200.00
150.00
100.00
50.00
0
50
100
150
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
Total number of items per second being written to disk in this node (from ep−engine)
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_diskqueue_drain − nirvana.server.2
ep_diskqueue_drain
300.00
250.00
200.00
150.00
100.00
50.00
0
400
450
500
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
Total number of items per second being written to disk in this node (from ep−engine)
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_diskqueue_drain − nirvana.server.3
ep_diskqueue_drain
250.00
200.00
150.00
100.00
50.00
0
200
250
300
350
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
Total number of items per second being written to disk in this node (from ep−engine)
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_diskqueue_drain − nirvana.server.4
ep_diskqueue_drain
250.00
200.00
150.00
100.00
50.00
0
550
600
650
700
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
Total number of items per second being written to disk in this node (from ep−engine)
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep_bg_fetched ops/sec
250.00
200.00
150.00
100.00
50.00
0
ep_bg_fetched
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of items fetched from disk
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


tmp_oom ops/sec
tmp_oom
0
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
Number of times temporary OOMs
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


vb_active_eject/sec
vb_active_eject
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of times item values got ejected
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


vb_replica_eject/sec
vb_replica_eject
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of times item values got ejected


ep_tap_replica_queue_drain/sec
ep_tap_replica_queue_backoff
2.93K
1.95K
1000.00
0
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
Number of items per second
been sent over replication
TAP connections
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep_tap_replica_queue_backoff/sec
ep_tap_replica_queue_backoff
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of back-offs received per second
while sending data over replication
TAP connections
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


vb_active_resident_items_ratio
97.00
96.00
95.00
94.00
vb_active_resident_items_ratio
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Percentage of active items cached in RAM
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


vb_replica_resident_items_ratio
95.00
94.50
94.00
93.50
93.00
vb_replica_resident_items_ratio
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Percentage of replica items cached in RAM
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


curr_items
9.54M
7.63M
5.72M
3.81M
curr_items
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of items in bucket
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


cur_items_total
19.07M
14.31M
9.54M
curr_items_tot
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Total number of items
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


mem_used
37.25G
27.94G
18.63G
bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Engine's total memory usage
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Docs data size
46.57G
37.25G
27.94G
18.63G
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
The size of active data in bucket (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Docs disk size
55.88G
46.57G
37.25G
27.94G
18.63G
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
The size of all data files for this bucket, including the data itself, meta data and temporary files (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Docs actual disk size
55.88G
46.57G
37.25G
27.94G
18.63G
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
The size of all data files for this bucket, including the data itself, meta data and temporary files (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Views data size
2.79G
2.33G
1.86G
1.40G
953.67M
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
The size of all active data on for all the indexes in this bucket (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Views disk size
13.97G
9.31G
4.66G
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
The size of all active items
in all the indexes on disk (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Views actual disk size
27.94G
23.28G
18.63G
13.97G
9.31G
4.66G
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
The size of all active items
in all the indexes on disk (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Total disk size
74.51G
55.88G
37.25G
18.63G
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
The total size on disk of all data and view files. (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Docs fragmentation
25.00
20.00
15.00
10.00
5.00
0
%
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
How much fragmented data there is to be compacted compared to real data for the data files in this bucket (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Views fragmentation
80.00
60.00
40.00
20.00
0
%
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
How much fragmented data there is to be compacted compared to real data for the view index files in this bucket (2.0 only)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


cmd_get ops/sec
ops/sec
5.86K
4.88K
3.91K
2.93K
1.95K
1000.00
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Cumulative number of retrieval reqs
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


cmd_set ops/sec
4.88K
3.91K
2.93K
1.95K
1000.00
0
ops/sec
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Cumulative number of set reqs
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


# of get misses
1.17K
1000.00
800.00
600.00
400.00
200.00
0
# of get misses
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of get operations per second
for data that the bucket does not contain
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


# of get hits
4.88K
3.91K
2.93K
1.95K
1000.00
0
# of get hits
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of get operations per second
for data that the bucket contains
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


cache_miss percentage
10.00
8.00
6.00
4.00
2.00
0
cache_miss percentage
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Percentage of reads per second
from disk as opposed to RAM
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


cache_miss percentage 0−5
cache_miss percentage
5.00
4.00
3.00
2.00
1.00
0
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Number of connections
connections
200.00
150.00
100.00
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of connections to this server including connections from external drivers, proxies, TAP requests and internal statistic gathering (measured from curr_connections)
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR docs to replicate
items
5.86K
3.91K
1.95K
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Document mutations
pending XDC replication
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR docs in queue
250.00
200.00
150.00
100.00
50.00
0
items
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of document mutations
in XDC replication queue
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR queue size
19.53K
14.65K
9.77K
4.88K
0
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Size in bytes of XDC replication queue
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDC ops per sec
ops/sec
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Cross-datacenter replication related
operations per second to this bucket.
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDC gets per sec
ops/sec
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of get operations per second related to this bucket being the target of cross datacenter replication
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDC sets per sec
ops/sec
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of set operations per second
related to this bucket being the
target of cross datacenter replication


XDC dels per sec
ops/sec
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of del operations per second
related to this bucket being the
target of cross datacenter replication
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR secs in replicating
976.56K
781.25K
585.94K
390.62K
195.31K
secs
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Total time all vb replicators
spent checking and writing
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR secs in checkpointing
9.77K
7.81K
5.86K
3.91K
1.95K
secs
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Total time all vb replicators spent waiting for commit and checkpoint
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR data replicated
65.19G
55.88G
46.57G
37.25G
27.94G
18.63G
Bytes
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Data in bytes replicated
to remote cluster
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR active vb reps
100.00
80.00
60.00
40.00
20.00
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of active
vbucket replications
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR waiting vb reps
250.00
200.00
150.00
100.00
50.00
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of waiting
vbucket replications
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR checkpoints issued
5.86K
3.91K
1.95K
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Number of checkpoints all vb replicators
have issued successfully in current replication
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


XDCR checkpoints failed
0
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
Number of checkpoints all vb replicators
have failed to issue in current replication
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


CPU utilization − nirvana.server.1:8091
90.00
80.00
70.00
60.00
50.00
%
50
100
150
−−−−time (min)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


CPU utilization − nirvana.server.2:8091
100.00
90.00
80.00
70.00
60.00
50.00
%
50
100
150
−−−−time (min)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


CPU utilization − nirvana.server.3:8091
90.00
80.00
70.00
60.00
50.00
%
50
100
150
−−−−time (min)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


CPU utilization − nirvana.server.4:8091
100.00
90.00
80.00
70.00
60.00
50.00
%
50
100
150
−−−−time (min)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


SWAP Usage − nirvana.server.1:8091
476.84M
381.47M
286.10M
190.73M
Bytes
50
100
150
−−−−time (min)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


SWAP Usage − nirvana.server.2:8091
476.84M
381.47M
286.10M
190.73M
Bytes
50
100
150
−−−−time (min)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


SWAP Usage − nirvana.server.3:8091
381.47M
333.79M
286.10M
238.42M
190.73M
Bytes
50
100
150
−−−−time (min)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


SWAP Usage − nirvana.server.4:8091
381.47M
333.79M
286.10M
238.42M
190.73M
Bytes
50
100
150
−−−−time (min)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


cpu_time_diff: memcached − _nirvana.server.1
cpu_time_diff
1.46K
1000.00
500.00
0
1000
2000
3000
4000
5000
6000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


cpu_time_diff : beam.smp − _ nirvana.server.1
cpu_time_diff
2.93K
1.95K
1000.00
0
1000
2000
3000
4000
5000
6000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


cpu_time_diff: memcached − nirvana.server.2
1.46K
1000.00
500.00
0
cpu_time_diff
1000
2000
3000
4000
5000
6000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


cpu_time_diff : beam.smp − nirvana.server.2
cpu_time_diff
3.91K
2.93K
1.95K
1000.00
0
1000
2000
3000
4000
5000
6000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


cpu_time_diff: memcached − nirvana.server.3
1.46K
1000.00
500.00
0
cpu_time_diff
1000
2000
3000
4000
5000
6000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


cpu_time_diff : beam.smp − _nirvana.server.3
cpu_time_diff
2.93K
1.95K
1000.00
0
1000
2000
3000
4000
5000
6000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


cpu_time_diff: memcached − nirvana.server.4
cpu_time_diff
1.46K
1000.00
500.00
0
1000
2000
3000
4000
5000
6000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


cpu_time_diff : beam.smp − _nirvana.server.4
cpu_time_diff
2.93K
1.95K
1000.00
0
1000
2000
3000
4000
5000
6000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_bg_wait_avg − nirvana.server.1
ep_bg_wait_avg
60.00
50.00
40.00
30.00
20.00
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
The average wait time (ms) for an item
before it is serviced by the dispatcher
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_bg_load_avg − nirvana.server.1
ep_bg_load_avg
40.00
35.00
30.00
25.00
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
The average wait time (ms) for an item loaded from the persistence layer
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_bg_wait_avg − nirvana.server.2
ep_bg_wait_avg
90.00
80.00
70.00
60.00
50.00
40.00
30.00
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
The average wait time (ms) for an item
before it is serviced by the dispatcher


ep−engine : ep_bg_load_avg − nirvana.server.2
ep_bg_load_avg
26.00
24.00
22.00
20.00
18.00
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
The average wait time (ms) for an item loaded from the persistence layer
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_bg_wait_avg − nirvana.server.3
ep_bg_wait_avg
250.00
200.00
150.00
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
The average wait time (ms) for an item
before it is serviced by the dispatcher
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_bg_load_avg − nirvana.server.3
ep_bg_load_avg
40.00
38.00
36.00
34.00
32.00
30.00
28.00
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
The average wait time (ms) for an item loaded from the persistence layer
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_bg_wait_avg − nirvana.server.4
ep_bg_wait_avg
80.00
70.00
60.00
50.00
40.00
30.00
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
The average wait time (ms) for an item
before it is serviced by the dispatcher
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


ep−engine : ep_bg_load_avg − nirvana.server.4
ep_bg_load_avg
30.00
28.00
26.00
24.00
22.00
20.00
18.00
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
The average wait time (ms) for an item loaded from the persistence layer
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Disk Read (kB/s) : nirvana.server.1
iostat – Disk Read (kB/s)
5.86K
4.88K
3.91K
2.93K
1.95K
1000.00
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Disk read across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Disk Write (kB/s) : nirvana.server.1
11.72K
9.77K
7.81K
5.86K
3.91K
1.95K
0
iostat – Disk Write (kB/s)
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Disk write across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %util : nirvana.server.1
7.30
7.28
7.26
7.24
iostat – Disk %util
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Average disk utilization percentage
across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %iowait : nirvana.server.1
iostat – %iowait
40.00
30.00
20.00
10.00
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Average cpu percentage waiting for outstanding IO
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %cpu : nirvana.server.1
100.00
95.00
90.00
85.00
80.00
75.00
70.00
iostat – %cpu
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Average cpu percentage measured from iostat excluding %idle
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Disk Read (kB/s) : nirvana.server.2
iostat – Disk Read (kB/s)
4.88K
3.91K
2.93K
1.95K
1000.00
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Disk read across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Disk Write (kB/s) : nirvana.server.2
iostat – Disk Write (kB/s)
11.72K
9.77K
7.81K
5.86K
3.91K
1.95K
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Disk write across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %util : nirvana.server.2
iostat – Disk %util
7.54
7.52
7.50
7.48
7.46
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Average disk utilization percentage
across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %iowait : nirvana.server.2
iostat – %iowait
50.00
40.00
30.00
20.00
10.00
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Average cpu percentage waiting for outstanding IO
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %cpu : nirvana.server.2
100.00
90.00
80.00
70.00
iostat – %cpu
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Average cpu percentage measured from
iostat excluding %idle
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Disk Read (kB/s) : nirvana.server.3
iostat – Disk Read (kB/s)
5.86K
3.91K
1.95K
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Disk read across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Disk Write (kB/s) : nirvana.server.3
iostat – Disk Write (kB/s)
9.77K
7.81K
5.86K
3.91K
1.95K
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Disk write across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %util : nirvana.server.3
iostat – Disk %util
7.78
7.76
7.74
7.72
7.70
7.68
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Average disk utilization percentage
across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %iowait : nirvana.server.3
iostat – %iowait
80.00
60.00
40.00
20.00
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Average cpu percentage waiting for outstanding IO
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %cpu : nirvana.server.3
100.00
95.00
90.00
85.00
80.00
75.00
iostat – %cpu
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Average cpu percentage measured from iostat excluding %idle
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Disk Read (kB/s) : nirvana.server.4
iostat – Disk Read (kB/s)
5.86K
3.91K
1.95K
0
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Disk read across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Disk Write (kB/s) : nirvana.server.4
11.72K
9.77K
7.81K
5.86K
3.91K
1.95K
0
iostat – Disk Write (kB/s)
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0−1940−rel−enterprise
Disk write across all hard drives (kB/s)
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Average %util : nirvana.server.4
5.40
5.38
5.36
5.34
5.32
5.30
iostat – Disk %util
0
2000
4000
6000
8000
10000
––––time (sec)––––>
buildinfo.version
2.0.0–1940–rel–enterprise
Average disk utilization percentage
across all hard drives (kB/s)
xperf–views–1–uni.loop / 2.0.0–1940–rel–enterprise / 2.0.0–1940–rel–enterprise / 06 Nov 2012


Average %iowait : nirvana.server.4
50.00
40.00
30.00
20.00
10.00
0
iostat – %iowait
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Average cpu percentage waiting for outstanding IO
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Average %cpu : nirvana.server.4
100.00
95.00
90.00
85.00
80.00
75.00
70.00
iostat – %cpu
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Average cpu percentage measured from iostat excluding %idle
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Data disk size
83.01K
78.12K
73.24K
68.36K
63.48K
58.59K
53.71K
MB
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Latency get histogram
18.63G
13.97G
9.31G
4.66G
count
500
1000
1500
2000
----latency (ms)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Final latency histogram for get commands
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Latency get histogram (0−10 ms)
29.30K
19.53K
9.77K
count
2
4
6
8
−−−−latency (ms)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency set histogram
18.63G
13.97G
9.31G
4.66G
count
500
1000
1500
----latency (ms)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Final latency histogram for set commands
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Latency set histogram (0−10 ms)
24.41K
19.53K
14.65K
9.77K
4.88K
count
2
4
6
8
−−−−latency (ms)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency query histogram
18.63G
13.97G
9.31G
4.66G
count
10000
20000
30000
----latency (ms)--->
buildinfo.version
2.0.0-1940-rel-enterprise
Final latency histogram for query commands
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Latency−get 90th percentile
8.00
7.00
6.00
5.00
4.00
3.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−get 90th percentile (0 − 10ms)
8.00
7.00
6.00
5.00
4.00
3.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−get 95th percentile
25.00
20.00
15.00
10.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−get 95th percentile (0 − 10ms)
10.00
9.00
8.00
7.00
6.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−get 99th percentile
250.00
200.00
150.00
100.00
50.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−get 99th percentile (0 − 10ms)
ms
10.00
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−set 90th_percentile
4.00
3.50
3.00
2.50
2.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−set 90th percentile (0 − 10ms)
4.00
3.50
3.00
2.50
2.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−set 95th percentile
7.50
7.00
6.50
6.00
5.50
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−set 95th percentile (0 − 10ms)
7.50
7.00
6.50
6.00
5.50
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−set 99th percentile
30.00
25.00
20.00
15.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−set 99th percentile (0 − 10ms)
ms
10.00
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 80th percentile
350.00
300.00
250.00
200.00
150.00
100.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 80th percentile (0 − 10ms)
ms
10.00
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 90th percentile
800.00
700.00
600.00
500.00
400.00
300.00
200.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 90th percentile (0 − 10ms)
ms
10.00
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 95th percentile
5.86K
4.88K
3.91K
2.93K
1.95K
1000.00
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 95th percentile (0 − 10ms)
ms
10.00
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 99th percentile
19.53K
14.65K
9.77K
4.88K
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 99th percentile (0 − 10ms)
ms
10.00
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 99.9th percentile
29.30K
19.53K
9.77K
ms
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Latency−query 99.9th percentile (0 − 10ms)
ms
10.00
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Query throughput
Queries/sec
600.00
500.00
400.00
300.00
200.00
100.00
0
0
2000
4000
6000
8000
10000
----time (sec)--->
buildinfo.version
2.0.0-1940-rel-enterprise
xperf-views-1-uni.loop / 2.0.0-1940-rel-enterprise / 2.0.0-1940-rel-enterprise / 06 Nov 2012


Indexing time − nirvana.server.1
1.46K
1000.00
500.00
Seconds
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Indexing time − nirvana.server.2
1.17K
1000.00
800.00
600.00
400.00
200.00
Seconds
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Indexing time − nirvana.server.3
Seconds
600.00
500.00
400.00
300.00
200.00
100.00
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Indexing time − nirvana.server.4
200.00
150.00
100.00
50.00
Seconds
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Indexing time (0−5 sec) − nirvana.server.1
Seconds
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Indexing time (0−5 sec) − nirvana.server.2
Seconds
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Indexing time (0−5 sec) − nirvana.server.3
Seconds
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Indexing time (0−5 sec) − nirvana.server.4
Seconds
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012


Indexing throughput
2.44K
1.95K
1.46K
1000.00
500.00
0
ops/sec
0
2000
4000
6000
8000
10000
−−−−time (sec)−−−>
buildinfo.version
2.0.0−1940−rel−enterprise
xperf−views−1−uni.loop / 2.0.0−1940−rel−enterprise / 2.0.0−1940−rel−enterprise / 06 Nov 2012

```
xperf-views-1-uni.conf
# XPERF test with views:
# 8K ops/sec (background, cluster-wide)
# 50% reads, 50% write (30% updates, 10% deletes, 10% inserts)
# 16 clients per cluster
# 10M dataset
# 3 ddocs with [2-2-4] views
# unidirectional
# 1 bucket
# stop after 3 hours

performance.iperf.XVPerfTests.test_vperf_3d_unidir

params:

# general
batch=50
kind=json
mem_quota=16000

# xdcr
xdcr_num_buckets=1

# load phase
items=10000000
hot_init_items=2000000
wait_for_xdc_replication=1

# access phase
ratio_sets=0.5
ratio_misses=0.025
ratio_creates=0.20
ratio_deletes=0.25
ratio_hot=0.2
ratio_hot_gets=0.95
ratio_hot_sets=0.95
ratio_expirations=0.0
bg_max_ops_per_sec=500
fg_max_ops=8000000000
total_clients=16
time=10800

# control (defaults: pytests/performance/perf_defaults.py)
load_wait_until_drained=1
loop_wait_until_drained=0
mcsoda_heartbeat=3
tear_down=1
tear_down_proxy=1
tear_down_bucket=0
tear_down_cluster=1
tear_down_on_setup=0
```

```
xdcr-4-nodes.ini
[global]
username:root
password:couchbase
port:8091
data_path:/data

[cluster1]
1:nirvana.server.1
2:nirvana.server.2
3:nirvana.server.3
4:nirvana.server.4

[cluster2]
1:explorer.server.1
2:explorer.server.2
3:explorer.server.3
4:explorer.server.4

[servers]
1:nirvana.server.1
# 10.2.2.218, 192.168.164.20
2:nirvana.server.2
# 10.2.2.219, 192.168.164.21
3:nirvana.server.3
# 10.2.2.220, 192.168.164.22
4:nirvana.server.4
# 10.2.2.221, 192.168.164.23
5:explorer.server.1
# 10.2.2.190, 192.168.163.20
6:explorer.server.2
# 10.2.2.191, 192.168.163.21
7:explorer.server.3
# 10.2.2.192, 192.168.163.22
8:explorer.server.4
# 10.2.2.193, 192.168.163.23

[clients]
1:nirvana.client
# 10.2.2.223, 192.168.164.25
2:explorer.client
# 10.2.2.194, 192.168.163.24

[membase]
rest_username:Administrator
rest_password:password
```