
reb−1.loop : 2.0.1−185−rel−enterprise : 2.0.2−809−rel−enterprise
runtime
peak mem
peak disk
latency−set (95th)
latency−get (95th)
drain rate
1.00x
1.00x
1.01x
1.11x
1.12x
1.82x
Result
Fail
Pass
3.0x
2.0x
1.0x
2.0x
3.0x
(righter is better)
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013

	2.0.1 − 185	2.0.2 − 809
Runtime (in hr)	5.39	5.39
Avg. Drain Rate	2.84K	5.17K
Peak Disk (GB)	43.71	44.36
Peak Memory (GB)	75298.16	75400.16
Avg. OPS	8.82K	8.82K
Avg. mem memcached (GB)	71921.15	74164.11
Avg. mem beam.smp (MB)	3174390.42	1256832.96
Avg. CPU rate (%)	10.32	8.87
Latency−get (90th) (ms)	3.1	3.71
Latency−get (95th) (ms)	5.92	6.62
Latency−get (99th) (ms)	10.78	10.97
Latency−set (90th) (ms)	3.23	3.83
Latency−set (95th) (ms)	6.02	6.66
Latency−set (99th) (ms)	10.75	11.11
Latency−query (80th) (ms)	NA	NA
Latency−query (90th) (ms)	NA	NA
Latency−query (95th) (ms)	NA	NA
Latency−query (99th) (ms)	NA	NA
Latency−query (99.9th) (ms)	NA	NA
Avg. QPS	0	0
Avg. XDC ops/sec	NaN	NaN
Avg. XDC docs to replicate	NaN	NaN
Rebalance Time (sec)	539.57	5298.15
Testrunner Version	1e1dddc	e777193


ops/sec
7.32K
4.88K
2.44K
0
ops/sec
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of ops per second
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


View read per sec.
Queries/sec
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
All the view reads for all design documents including scatter gather.
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


ep queue size
ep_queue_size
97.66K
48.83K
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of items queued for storage
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


ns_server: ep_diskqueue_drain
ep_diskqueue_drain
87.89K
58.59K
29.30K
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Total number of items per second being written to disk in this bucket (from ns_server)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


ep−engine : ep_diskqueue_drain − 172.23.96.11
0
−10000
−20000
−30000
ep_diskqueue_drain
100
200
300
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
Total number of items per second being written to disk in this node (from ep−engine)
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


ep−engine : ep_diskqueue_drain − 172.23.96.13
ep_diskqueue_drain
0
−5000
−10000
−15000
400
500
600
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
Total number of items per second being written to disk in this node (from ep−engine)
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


ep_bg_fetched ops/sec
ep_bg_fetched
20.00
15.00
10.00
5.00
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of items fetched from disk
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


tmp_oom ops/sec
tmp_oom
0
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
Number of times temporary OOMs
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


vb_active_eject/sec
1.46K
1000.00
500.00
0
vb_active_eject
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of times item values got ejected
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


vb_replica_eject/sec
vb_replica_eject
300.00
200.00
100.00
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of times item values got ejected
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


ep_tap_replica_queue_drain/sec
ep_tap_replica_queue_backoff
39.06K
29.30K
19.53K
9.77K
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of items per second
been sent over replication
TAP connections
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


ep_tap_replica_queue_backoff/sec
ep_tap_replica_queue_backoff
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of back-offs received per second
while sending data over replication
TAP connections
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


vb_active_resident_items_ratio
100.00
99.00
98.00
97.00
vb_active_resident_items_ratio
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Percentage of active items cached in RAM
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


vb_replica_resident_items_ratio
100.00
98.00
96.00
94.00
vb_replica_resident_items_ratio
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Percentage of replica items cached in RAM
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


curr_items
6.68M
5.72M
4.77M
3.81M
2.86M
1.91M
curr_items
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of items in bucket
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


cur_items_total
13.35M
11.44M
9.54M
7.63M
5.72M
3.81M
curr_items_tot
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Total number of items
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


mem_used
27.94G
23.28G
18.63G
13.97G
9.31G
bytes
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Engine's total memory usage
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Docs data size
27.94G
23.28G
18.63G
13.97G
9.31G
Bytes
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
The size of active data in bucket (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Docs disk size
37.25G
27.94G
18.63G
Bytes
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
The size of all data files for this bucket, including the data itself, meta data and temporary files (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Docs actual disk size
37.25G
27.94G
18.63G
Bytes
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
The size of all data files for this bucket, including the data itself, meta data and temporary files (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Views data size
Bytes
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
The size of all active data on for all the indexes in this bucket (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Views disk size
Bytes
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
The size of all active items
in all the indexes on disk (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Views actual disk size
Bytes
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
The size of all active items
in all the indexes on disk (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Total disk size
37.25G
27.94G
18.63G
Bytes
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
The total size on disk of all data and view files. (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Docs fragmentation
25.00
20.00
15.00
10.00
%
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
How much fragmented data there is to be compacted compared to real data for the data files in this bucket (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Views fragmentation
% 0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
How much fragmented data there is to be compacted compared to real data for the view index files in this bucket (2.0 only)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


cmd_get ops/sec
ops/sec
3.91K
2.93K
1.95K
1000.00
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Cumulative number of retrieval reqs
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


cmd_set ops/sec
3.91K
2.93K
1.95K
1000.00
0
ops/sec
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Cumulative number of set reqs
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


# of get misses
1000.00
750.00
500.00
250.00
0
# of get misses
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of get operations per second
for data that the bucket does not contain
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


# of get hits
3.91K
2.93K
1.95K
1000.00
0
# of get hits
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of get operations per second
for data that the bucket contains
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


cache_miss percentage
cache_miss percentage
0.5
0.4
0.3
0.2
0.1
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Percentage of reads per second
from disk as opposed to RAM
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


cache_miss percentage 0−5
cache_miss percentage
0.5
0.4
0.3
0.2
0.1
0
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Number of connections
connections
200.00
100.00
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of connections to this server including connections from external drivers, proxies, TAP requests and internal statistic gathering (measured from curr_connections)
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Mutation replication rate
ops/sec
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Rate of replication in terms of number
of replicated mutations per second
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Data replication rate
Bytes/sec
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Rate of replication in terms
of bytes replicated per second
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


ms doc ops latency
ms
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Weighted average latency in ms of
sending replicated mutations to remote cluster
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


ms meta ops latency
ms
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Weighted average latency in ms of
sending getMeta and waiting for conflict solution
result from remote cluster
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Outbound XDCR mutations
items
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of mutations to be replicated to other clusters
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Mutations in queue
items
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of document mutations
in XDC replication queue
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


XDCR queue size
Bytes
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Size in bytes of
XDC replication queue
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013

Mutations checked
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Document mutations checked
for XDC replication
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Mutations replicated
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Document mutations replicated
to remote cluster
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


XDCR data replicated
Bytes
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Data in bytes replicated
to remote cluster
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


XDCR secs in replicating
secs
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Total time in secs all vb replicators
spent checking and writing
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


XDCR secs in checkpointing
secs
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Total time all vb replicators
spent waiting for commit and checkpoint
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


XDCR active vb reps
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of active vbucket replications
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


XDCR waiting vb reps
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of waiting vbucket replications
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


XDCR checkpoints issued
0
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
Number of successful checkpoints
out of the last 10 issued on each node
in current replication
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


XDCR checkpoints failed
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of failed checkpoints
out of the last 10 issued on each node
in current replication
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


XDC ops per sec
ops/sec
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Incoming XDCR operations
per second for this bucket
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Metadata gets per sec
ops/sec
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of metadata read operations
per second for this bucket
as the target for XDCR
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Metadata sets per sec
ops/sec
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of set operations
per second for this bucket
as the target for XDCR
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Metadata dels per sec
ops/sec
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Number of delete operations
per second for this bucket
as the target for XDCR
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Rebalance progress
75.00
50.00
25.00
0
%
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


CPU utilization − 172.23.96.11:8091
%
20.00
15.00
10.00
5.00
100
200
300
−−−−time (min)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


CPU utilization − 172.23.96.12:8091
%
6.00
4.00
2.00
0
100
150
200
250
300
−−−−time (min)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


CPU utilization − 172.23.96.13:8091
%
10.00
5.00
100
200
300
−−−−time (min)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


CPU utilization − 172.23.96.14:8091
%
7.50
5.00
2.50
100
150
200
250
300
−−−−time (min)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


SWAP Usage − 172.23.96.11:8091
Bytes
0
100
200
300
−−−−time (min)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


SWAP Usage − 172.23.96.12:8091
Bytes
0
100
150
200
250
300
−−−−time (min)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


SWAP Usage − 172.23.96.13:8091
Bytes
0
100
200
300
−−−−time (min)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


SWAP Usage − 172.23.96.14:8091
Bytes
0
100
150
200
250
300
−−−−time (min)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


cpu_time_diff: memcached − 172.23.96.11
1.56K
1.17K
800.00
400.00
0
cpu_time_diff
2500
5000
7500
10000
12500
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


cpu_time_diff : beam.smp − 172.23.96.11
1.46K
1000.00
500.00
0
cpu_time_diff
2500
5000
7500
10000
12500
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


cpu_time_diff: memcached − 172.23.96.12
cpu_time_diff
900.00
600.00
300.00
0
2500
5000
7500
10000
12500
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


cpu_time_diff : beam.smp − 172.23.96.12
cpu_time_diff
1000.00
750.00
500.00
250.00
0
2500
5000
7500
10000
12500
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


cpu_time_diff: memcached − 172.23.96.13
1.46K
1000.00
500.00
0
cpu_time_diff
2500
5000
7500
10000
12500
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


cpu_time_diff : beam.smp − 172.23.96.13
cpu_time_diff
900.00
600.00
300.00
0
2500
5000
7500
10000
12500
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


cpu_time_diff: memcached − 172.23.96.14
1.22K
1000.00
750.00
500.00
250.00
0
cpu_time_diff
2500
5000
7500
10000
12500
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


cpu_time_diff : beam.smp − 172.23.96.14
1000.00
750.00
500.00
250.00
0
cpu_time_diff
2500
5000
7500
10000
12500
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
CPU tick differences (jiffies)
among snapshots across time
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


ep−engine : ep_bg_wait_avg − 172.23.96.11
60.00
40.00
20.00
ep_bg_wait_avg
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
The average wait time (ms) for an item
before it is serviced by the dispatcher
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


ep−engine : ep_bg_load_avg − 172.23.96.11
ep_bg_load_avg
20.00
15.00
10.00
5.00
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
The average wait time (ms) for an item loaded from the persistence layer
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


ep−engine : ep_bg_wait_avg − 172.23.96.13
ep_bg_wait_avg
60.00
40.00
20.00
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
The average wait time (ms) for an item
before it is serviced by the dispatcher
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


ep−engine : ep_bg_load_avg − 172.23.96.13
20.00
15.00
10.00
5.00
ep_bg_load_avg
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
The average wait time (ms) for an item loaded from the persistence layer
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Disk Read (kB/s) : 172.23.96.11
14.65K
9.77K
4.88K
0
iostat – Disk Read (kB/s)
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Disk read across all hard drives (kB/s)
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Disk Write (kB/s) : 172.23.96.11
iostat – Disk Write (kB/s)
39.06K
29.30K
19.53K
9.77K
0
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Disk write across all hard drives (kB/s)
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Average %util : 172.23.96.11
33.30
33.20
33.10
33.00
32.90
32.80
32.70
iostat − Disk %util
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
Average disk utilization percentage
across all hard drives (kB/s)
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Average %iowait : 172.23.96.11
iostat – %iowait
9.00
6.00
3.00
0
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Average cpu percentage waiting for outstanding IO
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Average %cpu : 172.23.96.11
20.00
15.00
10.00
5.00
iostat – %cpu
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Average cpu percentage measured from iostat excluding %idle
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Disk Read (kB/s) : 172.23.96.12
19.53K
14.65K
9.77K
4.88K
0
iostat – Disk Read (kB/s)
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Disk read across all hard drives (kB/s)
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Disk Write (kB/s) : 172.23.96.12
iostat – Disk Write (kB/s)
39.06K
29.30K
19.53K
9.77K
0
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Disk write across all hard drives (kB/s)
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Average %util : 172.23.96.12
27.10
26.90
26.70
26.50
26.30
iostat − Disk %util
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
Average disk utilization percentage
across all hard drives (kB/s)
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Average %iowait : 172.23.96.12
iostat – %iowait
7.50
5.00
2.50
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Average cpu percentage waiting for outstanding IO
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Average %cpu : 172.23.96.12
iostat – %cpu
10.00
5.00
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Average cpu percentage measured from iostat excluding %idle
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Disk Read (kB/s) : 172.23.96.13
12.21K
9.77K
7.32K
4.88K
2.44K
0
iostat – Disk Read (kB/s)
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Disk read across all hard drives (kB/s)
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Disk Write (kB/s) : 172.23.96.13
39.06K
29.30K
19.53K
9.77K
0
iostat – Disk Write (kB/s)
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Disk write across all hard drives (kB/s)
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Average %util : 172.23.96.13
30.50
30.25
30.00
29.75
iostat − Disk %util
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
Average disk utilization percentage
across all hard drives (kB/s)
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Average %iowait : 172.23.96.13
iostat – %iowait
8.00
6.00
4.00
2.00
0
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Average cpu percentage waiting for outstanding IO
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Average %cpu : 172.23.96.13
16.00
12.00
8.00
4.00
iostat – %cpu
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Average cpu percentage measured from iostat excluding %idle
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Disk Read (kB/s) : 172.23.96.14
19.53K
14.65K
9.77K
4.88K
0
iostat – Disk Read (kB/s)
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Disk read across all hard drives (kB/s)
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Disk Write (kB/s) : 172.23.96.14
iostat – Disk Write (kB/s)
39.06K
29.30K
19.53K
9.77K
0
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Disk write across all hard drives (kB/s)
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Average %util : 172.23.96.14
28.10
27.90
27.70
27.50
27.30
iostat − Disk %util
0
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
Average disk utilization percentage
across all hard drives (kB/s)
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Average %iowait : 172.23.96.14
iostat – %iowait
6.00
4.00
2.00
0
0
5000
10000
15000
––––time (sec)––––>
buildinfo.version
2.0.1–185–rel–enterprise
2.0.2–809–rel–enterprise
Average cpu percentage waiting for outstanding IO
reb–1.loop / 2.0.1–185–rel–enterprise / 2.0.2–809–rel–enterprise / 21 May 2013


Average %cpu : 172.23.96.14
iostat – %cpu
10.00
5.00
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Average cpu percentage measured from iostat excluding %idle
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Data disk size
43.95K
41.50K
39.06K
36.62K
MB
1000
2000
3000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Latency get histogram
37.25G
27.94G
18.63G
9.31G
count
500
1000
----latency (ms)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Final latency histogram for get commands
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Latency get histogram (0−10 ms)
488.28K
390.62K
292.97K
195.31K
97.66K
count
2.5
5.0
7.5
−−−−latency (ms)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency set histogram
37.25G
27.94G
18.63G
9.31G
count
100
200
----latency (ms)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
Final latency histogram for set commands
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013


Latency set histogram (0−10 ms)
488.28K
390.62K
292.97K
195.31K
97.66K
count
2.5
5.0
7.5
−−−−latency (ms)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−get 90th percentile
8.00
6.00
4.00
2.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−get 90th percentile (0 − 10ms)
8.00
6.00
4.00
2.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−get 95th percentile
10.00
8.00
6.00
4.00
2.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−get 95th percentile (0 − 10ms)
10.00
8.00
6.00
4.00
2.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−get 99th percentile
15.00
12.00
9.00
6.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−get 99th percentile (0 − 10ms)
10.00
8.00
6.00
4.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−set 90th percentile
8.00
6.00
4.00
2.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−set 90th percentile (0 − 10ms)
8.00
6.00
4.00
2.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−set 95th percentile
10.00
8.00
6.00
4.00
2.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−set 95th percentile (0 − 10ms)
10.00
8.00
6.00
4.00
2.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−set 99th percentile
15.00
12.00
9.00
6.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Latency−set 99th percentile (0 − 10ms)
10.00
8.00
6.00
4.00
ms
5000
10000
15000
−−−−time (sec)−−−>
buildinfo.version
2.0.1−185−rel−enterprise
2.0.2−809−rel−enterprise
reb−1.loop / 2.0.1−185−rel−enterprise / 2.0.2−809−rel−enterprise / 21 May 2013


Query throughput
Queries/sec
0
0
5000
10000
15000
----time (sec)--->
buildinfo.version
2.0.1-185-rel-enterprise
2.0.2-809-rel-enterprise
reb-1.loop / 2.0.1-185-rel-enterprise / 2.0.2-809-rel-enterprise / 21 May 2013